

according to the United Nations GHS (Rev. 9, 2021) Issue date: 05/08/2022 Revision date: 05/08/2022

Supersedes: 11/09/2020

Version: 22.1

SECTION 1: Identification

1.1. GHS Product identifier

Product form Trade name UN-No. (ADR) Product code Mixture CFR 1 1950 BU Fire Protection



1.2. Other means of identification

No additional information available

| 1.3. Recommended use of the | Recommended use of the chemical and restrictions on use | | |
|---|---|--|--|
| Use of the substance/mixture | Spray cleaners | | |
| 1.4. Supplier's details | | | |
| Supplier | Department issuing data specification sheet | | |
| Hilti (South Africa) (Pty) Ltd. | Hilti AG | | |
| 2 Tugela Lane, Waterfall Logistics Prec | inct Feldkircherstraße 100 | | |
| Corner Bridal Veil Road and R101 | 9494 Schaan - Liechtenstein | | |
| 2090 Midrand - South Africa T +423 234 2111 | | | |
| T +2711 237300 - F +2711 2373111 | | | |
| 1.5. Emergency phone numbe | r | | |
| Emergency number | Schweizerisches Toxikologisches Informationszentrum – 24h Service | | |
| | +41 44 251 51 51 (international) | | |
| | +2711 237300 | | |
| | | | |

SECTION 2: Hazard identification

| 2.1. Classification of the substance or | mixture | | | | | |
|---|--|-----------------------|--|--|--|--|
| | inixture | | | | | |
| Classification according to the United Nations G | Classification according to the United Nations GHS | | | | | |
| Aerosol, Category 1 | H222;H229 | On basis of test data | | | | |
| Serious eye damage/eye irritation, Category 2 | H319 | Calculation method | | | | |
| Specific target organ toxicity – Single exposure, Category 3, Narcosis | H336 | Calculation method | | | | |
| Full text of H-statements: see section 16 | | | | | | |
| Adverse physicochemical, human health and environmental effects | Pressurised container: May burst if heated,Extremely flammable aerosol,May cause drowsiness or dizziness,Causes serious eye irritation. | | | | | |



according to the United Nations GHS (Rev. 9, 2021)

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

| Hazard pictograms (GHS UN) | |
|-----------------------------------|--|
| | GHS02 GHS07 |
| Signal word (GHS UN) | Danger |
| Hazardous ingredients | Acetone, ethyl acetate |
| Hazard statements (GHS UN) | H222 - Extremely flammable aerosol H229 - Pressurised container: May burst if heated H319 - Causes serious eye irritation H336 - May cause drowsiness or dizziness |
| Precautionary statements (GHS UN) | P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P211 - Do not spray on an open flame or other ignition source. P251 - Do not pierce or burn, even after use. P261 - Avoid breathing spray. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F. |

.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

Substances 3.1.

Not applicable

3.2. **Mixtures**

| Name | Product identifier | % | Classification according to the United Nations GHS |
|---------------|--------------------|---------|--|
| Acetone | (CAS-No.) 67-64-1 | 40 – 60 | Flammable liquids, Category 2, H225 Serious eye damage/eye irritation, Category 2A, H319 Specific target organ toxicity – Single exposure, Category 3, Narcosis, H336 |
| ethyl acetate | (CAS-No.) 141-78-6 | 10 – 25 | Flammable liquids, Category 2, H225 Serious eye damage/eye irritation, Category 2, H319 Specific target organ toxicity – Single exposure, Category 3, Narcosis, H336 |
| isobutane | (CAS-No.) 75-28-5 | < 25 | Flammable gases, Category 1A, H220 Gases under pressure : Compressed gas, H280 |
| propane | (CAS-No.) 74-98-6 | < 10 | Flammable gases, Category 1A, H220 Gases under pressure : Compressed gas, H280 |
| butane | (CAS-No.) 106-97-8 | < 10 | Flammable gases, Category 1A, H220 Gases under pressure : Compressed gas, H280 |

Full text of H-statements: see section 16



according to the United Nations GHS (Rev. 9, 2021)

| SECTION 4: First-aid measures | |
|--|--|
| 4.1. Description of necessary first-aid | measures |
| First-aid measures general | Call a poison center or a doctor if you feel unwell. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible). |
| First-aid measures after inhalation | Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. |
| First-aid measures after skin contact | If skin irritation occurs: Get medical advice/attention. Wash skin with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. |
| First-aid measures after eye contact | Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | Call a poison center or a doctor if you feel unwell. Rinse mouth. Do NOT induce vomiting. |
| 4.2. Most important symptoms/effects | , acute and delayed |
| Symptoms/effects after inhalation | May cause drowsiness or dizziness. |
| Symptoms/effects after eye contact | Eye irritation. Causes serious eye irritation. |
| Potential adverse human health effects and symptoms | Based on available data, the classification criteria are not met. |

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

| SEC | FION 5: Fire-fighting measures | |
|--------------|---|--|
| 5.1. | Suitable extinguishing media | |
| Suita | ole extinguishing media | Water spray. Dry powder. Carbon dioxide. Sand. Alcohol resistant foam. |
| Unsu | table extinguishing media | Do not use a heavy water stream. |
| 5.2. | Specific hazards arising from the c | hemical |
| Fire h | azard | Extremely flammable aerosol. |
| Explo | sion hazard | Pressurised container: May burst if heated. |
| Haza fire | rdous decomposition products in case of | Carbon dioxide. Carbon monoxide. Vapours may form explosive mixture with air. |
| 5.3. | Special protective actions for fire-f | ighters |
| Firefi | ghting instructions | Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. |
| Prote | ction during firefighting | Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area without proper protective equipment, including respiratory protection. |

| SECT | SECTION 6: Accidental release measures | | | | |
|------------------|---|--|--|--|--|
| 6.1. | Personal precautions, protective equipment and emergency procedures | | | | |
| 6.1.1. Emerge | For non-emergency personnel ency procedures | | | | |
| 6.1.2. | For emergency responders | | | | |
| Protect | ive equipment | Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection". Equip cleanup crew with proper protection. Avoid breathing dust/fume/gas/mist/vapours/spray. | | | |
| Emerge | ency procedures | Ventilate area. | | | |



according to the United Nations GHS (Rev. 9, 2021)

| 6.2. | Environmental precautions | |
|------------------------|--|---|
| Prever | nt entry to sewers and public waters. Notify | authorities if liquid enters sewers or public waters. |
| 6.3. | Methods and materials for contai | inment and cleaning up |
| Meth | ods for cleaning up | Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials. |
| Othe | r information | Dispose of materials or solid residues at an authorized site. |
| SEC | TION 7: Handling and storage | |
| 7.1. | Precautions for safe handling | |
| Preca | autions for safe handling | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Use only outdoors or in a well-ventilated area. Avoid breathing spray. Avoid contact with skin and eyes. Wear personal protective equipment. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. |
| Hygie | ene measures | Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Wash hands, forearms and face thoroughly after handling. |
| 7.2. | Conditions for safe storage, inclu | uding any incompatibilities |
| Stora | ge conditions | Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F. Store locke up. Store in a well-ventilated place. Keep container tightly closed. Keep cool. |
| Incor | npatible products | Strong bases. Strong acids. |
| Incompatible materials | | Sources of ignition. Direct sunlight. |

Storage temperature

5 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

| 8.2. Appropriate engineering controls | |
|---------------------------------------|--|
| Appropriate engineering controls | Ensure good ventilation of the work station. |
| Environmental exposure controls | Avoid release to the environment. |
| Other information | Do not eat, drink or smoke during use. |

8.3. Individual protection measures, such as personal protective equipment (PPE)

Filter AX (brown)

| Hand protection Wear protective gloves. | | | | | | | |
|---|--------------------------------------|----------|------------|----------------|-------------|-------|------------|
| Туре | Material | | Permeation | Thickness (mm) | Penetration | า | Standard |
| Disposable gloves | Nitrile rubb | er (NBR) | | | | | EN ISO 374 |
| Eye protection Chemical goggles or safety glasses | | | | | | | |
| Туре | Field of application Characteristics | | Standard | | | | |
| Safety glasses | | | | EN 166, EN 171 | | N 171 | |
| Skin and body protection Wear suitable protective clothing | | | | | | | |
| Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment | | | | | | | |
| Device Filter type Co | | | Condition | | Standard | | |

Personal protective equipment symbol(s)





according to the United Nations GHS (Rev. 9, 2021)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties Physical state

| Physic | cal state | Liquid |
|---------|--|---|
| Appea | arance | Aerosol |
| Colou | r | Colourless. |
| Odour | r | characteristic. |
| Odour | r threshold | Not available |
| Meltin | ig point | Not applicable |
| Freezi | ing point | Not available |
| Boiling | g point | Not available |
| Flamn | nability (solid, gas) | Extremely flammable aerosol. |
| Explos | sive limits | Not available |
| Lower | explosive limit (LEL) | Not available |
| Upper | explosive limit (UEL) | Not available |
| Flash | point | Not available |
| Auto-i | gnition temperature | Not available |
| Decor | nposition temperature | Not available |
| pН | | Not available |
| pH so | lution | Not available |
| Viscos | sity, kinematic (calculated value) (40 °C) | Not available |
| Partiti | on coefficient n-octanol/water (Log Kow) | Not available |
| Vapou | ur pressure | 2500 – 2900 hPa at 20 °C |
| Vapou | ur pressure at 50 °C | Not available |
| Densit | ty | 0,74 – 0,76 g/cm ³ |
| Relativ | ve density | Not available |
| Relativ | ve vapour density at 20 °C | Not available |
| Solubi | ility | Soluble in water. |
| Explos | sive properties | Pressurised container: May burst if heated. |
| Particl | le size | Not applicable |
| Particl | le size distribution | Not applicable |
| Particl | le shape | Not applicable |
| Particl | le aspect ratio | Not applicable |
| Partic | le specific surface area | Not applicable |
| | | |

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available



according to the United Nations GHS (Rev. 9, 2021)

SECTION 10: Stability and reactivity

10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

10.2. **Chemical stability**

Stable under normal conditions. Not established.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

10.4. **Conditions to avoid**

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition. Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

Information on toxicological effects 11.1.

| Acute toxicity (oral) | Not classified |
|-----------------------------|----------------|
| Acute toxicity (dermal) | Not classified |
| Acute toxicity (inhalation) | Not classified |

| Acetone (67-64-1) | | | | |
|-----------------------------------|--|--|--|--|
| LD50 oral rat | 5800 mg/kg (Rat, Female, Experimental value, Oral, 14 day(s)) | | | |
| LD50 dermal rabbit | > 15800 mg/kg bodyweight (24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s)) | | | |
| LC50 Inhalation - Rat | 76 mg/l (4 h, Rat, Female, Weight of evidence, Inhalation (vapours)) | | | |
| ethyl acetate (141-78-6) | | | | |
| LD50 oral rat | 10200 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Female, Experimental value, Oral, 14 day(s)) | | | |
| LD50 dermal rabbit | > 20000 mg/kg bodyweight (24 hour cuff method, 24 h, Rabbit, Male, Experimental value, Dermal, 14 day(s)) | | | |
| Skin corrosion/irritation | Not classified | | | |
| Serious eye damage/irritation | Causes serious eye irritation. | | | |
| Respiratory or skin sensitisation | Not classified | | | |
| Germ cell mutagenicity | Not classified | | | |
| Carcinogenicity | Not classified | | | |
| Reproductive toxicity | Not classified | | | |
| STOT-single exposure | May cause drowsiness or dizziness. | | | |
| STOT-repeated exposure | Not classified | | | |
| Aspiration hazard | Not classified | | | |
| CER 1 | | | | |

| CFR 1 | |
|-----------|---------|
| Vaporizer | Aerosol |
| | |

Potential adverse human health effects and symptoms

Based on available data, the classification criteria are not met.



according to the United Nations GHS (Rev. 9, 2021)

| SECTION 12: Ecological information | on | |
|---|---|--|
| 12.1. Toxicity | | |
| Ecology - general | The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. | |
| Hazardous to the aquatic environment, short- term (acute) | Not classified | |
| Hazardous to the aquatic environment, long- term (chronic) | Not classified | |
| Acetone (67-64-1) | | |
| LC50 - Fish [1] | 6210 – 8120 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow- through system, Fresh water, Experimental value, Measured concentration) | |
| ethyl acetate (141-78-6) | | |
| LC50 - Fish [1] | 230 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal) | |

12.2. Persistence and degradability

| CFR 1 | | | | |
|--|--|--|--|--|
| Persistence and degradability | Not established. | | | |
| | | | | |
| | | | | |
| isobutane (75-28-5) | | | | |
| Not rapidly degradable | | | | |
| propane (74-98-6) | | | | |
| Not rapidly degradable | | | | |
| Acetone (67-64-1) | | | | |
| Persistence and degradability | Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water. | | | |
| Biochemical oxygen demand (BOD) | 1,43 g O ₂ /g substance | | | |
| Chemical oxygen demand (COD) | 1,92 g O ₂ /g substance | | | |
| ThOD 2,2 g O ₂ /g substance | | | | |
| ethyl acetate (141-78-6) | | | | |
| Persistence and degradability | Biodegradable in the soil. Readily biodegradable in water. | | | |
| Biochemical oxygen demand (BOD) | 0,293 g O ₂ /g substance | | | |
| Chemical oxygen demand (COD) | 1,69 g O ₂ /g substance | | | |
| ThOD | 1,82 g O ₂ /g substance | | | |
| butane (106-97-8) | | | | |
| Not rapidly degradable | | | | |

12.3. Bioaccumulative potential

| CFR 1 | | | |
|--|---|--|--|
| Bioaccumulative potential | Not established. | | |
| | | | |
| | | | |
| Acetone (67-64-1) | | | |
| Partition coefficient n-octanol/water (Log Kow) -0,23 (Test data) | | | |
| Bioaccumulative potential | Not bioaccumulative. | | |
| ethyl acetate (141-78-6) | | | |
| BCF - Fish [1] | 30 (3 day(s), Leuciscus idus, Static renewal, Experimental value) | | |
| Partition coefficient n-octanol/water (Log Kow) | 0,68 (Experimental value, EPA OPPTS 830.7560, 25 °C) | | |
| Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). | | | |

12.4. Mobility in soil

| CFR 1 | |
|------------------|-------------------------------------|
| Mobility in soil | No additional information available |
| | |



according to the United Nations GHS (Rev. 9, 2021)

| Surface tension 23,3 mN/m (20 °C) | | | |
|---|--|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | ed Adsorption 0,374 – 0,988 (log Koc, SRC PCKOCWIN v2.0, Calculated value) | | |
| Ecology - soil | Highly mobile in soil. | | |
| ethyl acetate (141-78-6) | | | |
| Surface tension | No data available in the literature | | |
| Ecology - soil | Low potential for adsorption in soil. | | |

| 12.5. Other adverse effects | |
|-----------------------------|-------------------------------------|
| Ozone | Not classified |
| Other adverse effects | No additional information available |
| Other information | Avoid release to the environment. |

| SECTION 13: Disposal considerations | | | |
|--|---|--|--|
| 13.1. Disposal methods | | | |
| Waste treatment methods | Dispose of contents/container in accordance with licensed collector's sorting instructions. | | |
| Product/Packaging disposal recommendations | Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. | | |
| Ecology - waste materials | Avoid release to the environment. | | |

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

| ADR | IMDG | ΙΑΤΑ | RID |
|--------------------------------------|--|--------------------------------------|--------------------------------------|
| 14.1. UN number | | | |
| UN 1950 | UN 1950 | UN 1950 | UN 1950 |
| 14.2. UN proper shipping nan | ne | | |
| AEROSOLS | AEROSOLS | Aerosols, flammable | AEROSOLS |
| Transport document description | | | |
| UN 1950 AEROSOLS, 2.1, (D) | UN 1950 AEROSOLS, 2.1 | UN 1950 Aerosols, flammable, 2.1 | UN 1950 AEROSOLS, 2.1 |
| 14.3. Transport hazard class(| es) | | |
| 2.1 | 2.1 | 2.1 | 2.1 |
| | | 2 | |
| 14.4. Packing group | | | |
| Not applicable | Not applicable | Not applicable | Not applicable |
| 14.5. Environmental hazards | | | |
| Dangerous for the environment: No | Dangerous for the environment: No Marine pollutant: No | Dangerous for the environment: No | Dangerous for the environment: No |
| No supplementary information avai | lable | | |



according to the United Nations GHS (Rev. 9, 2021)

| 4.6. Special precautions for user | | |
|-----------------------------------|-----------------------------|--|
| Overland transport | | |
| Classification code (ADR) | 5F | |
| Special provisions (ADR) | 190, 327, 344, 625 | |
| Limited quantities (ADR) | 11 | |
| Packing instructions (ADR) | P207, LP02 | |
| Mixed packing provisions (ADR) | MP9 | |
| Transport category (ADR) | 2 | |
| Tunnel restriction code (ADR) | D | |
| Transport by sea | | |
| Special provisions (IMDG) | 63, 190, 277, 327, 344, 959 | |
| Limited quantities (IMDG) | SP277 | |
| Packing instructions (IMDG) | P207, LP02 | |
| EmS-No. (Fire) | F-D | |
| EmS-No. (Spillage) | S-U | |
| Stowage category (IMDG) | None | |
| MFAG-No | 126 | |
| Air transport | | |
| PCA packing instructions (IATA) | 203 | |
| PCA max net quantity (IATA) | 75kg | |
| CAO packing instructions (IATA) | 203 | |
| Special provisions (IATA) | A145, A167, A802 | |
| Rail transport | | |
| Special provisions (RID) | 190, 327, 344, 625 | |
| Limited quantities (RID) | 1L | |
| Packing instructions (RID) | P207, LP02 | |

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

| SECTION 16: Other information | | | | | |
|-------------------------------|--------------|--------|----------------|--|--|
| SDS Major/Minor | None | | | | |
| Issue date | 05/08/2022 | | | | |
| Revision date 05/08/2022 | | | | | |
| Supersedes 11/09/2020 | | | | | |
| Indication of changes: | | | | | |
| Modified. | | | | | |
| Section | Changed item | Change | Comments | | |
| | | | | | |
| | | | general update | | |
| | | | | | |
| | | | | | |



according to the United Nations GHS (Rev. 9, 2021)

| Other information | None. |
|----------------------------|--|
| Full text of H-statements: | |
| H220 | Extremely flammable gas |
| H222 | Extremely flammable aerosol |
| H225 | Highly flammable liquid and vapour |
| H229 | Pressurised container: May burst if heated |
| H280 | Contains gas under pressure; may explode if heated |
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.