

Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Issue date: 26/09/2022 Revision date: 26/09/2022 Supersedes: 10/01/2022 Version: 1.3

SECTION 1: Identification

1.1. GHS Product identifier

Product form Mixture
Generic name HVU2 M8 - M30
UN-No. (ADR) 3077
Product code BU Anchor

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture Adhesive anchor capsule for anchor fastening in concrete

Recommended use For professional use only

1.4. Supplier's details

Supplier

Hilti (South Africa) (Pty) Ltd.

2 Tugela Lane, Waterfall Logistics Precinct Corner Bridal Veil Road and

R101

ZA- 2090 Midrand South Africa

T +2711 237300 - F +2711 2373111

Customercare.za@hilti.com

Department issuing data specification sheet

Hilti Entwicklungsgesellschaft mbH

Hiltistraße 6

DE- 86916 Kaufering

Deutschland T +49 8191 906876

anchor.hse@hilti.com

1.5. Emergency phone number

Emergency number Schweizerisches Toxikologisches Informationszentrum – 24h Service

+41 44 251 51 51 (international)

+2711 237300

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin sensitisation, Category 1 H317 Calculation method Reproductive toxicity, Category 1B H360 Calculation method Hazardous to the aquatic environment – Acute Hazard, Category 2 H401 Calculation method Hazardous to the aquatic environment – Chronic Hazard, Category 2 H411 Calculation method

Full text of H-statements: see section 16

2.2. GHS Label elements, including precautionary statements

Labelling according to the United Nations GHS

Hazard pictograms (GHS UN)



Danger





Signal word (GHS UN)

Hazardous ingredients

Hazard statements (GHS UN)

dibenzoyl peroxide, 2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol, 2-

Propenoic acid, 2-methyl-, 1,4-butanediyl ester

H317 - May cause an allergic skin reaction H360 - May damage the unborn child.

H411 - Toxic to aquatic life with long lasting effects

26/09/2022 EN (English) 1/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Precautionary statements (GHS UN)

P280 - Wear eye protection, protective clothing, protective gloves.

P262 - Do not get in eyes, on skin, or on clothing.

 ${\sf P305+P351+P338-IF\ IN\ EYES:\ Rinse\ cautiously\ with\ water\ for\ several\ minutes.\ Remove}$

contact lenses, if present and easy to do. Continue rinsing. P302+P352 - IF ON SKIN: Wash with plenty of water.

P337+P313 - If eye irritation persists: Get medical advice, medical attention.

P333+P313 - If skin irritation or rash occurs: Get medical advice, medical attention.

2.3. Other hazards which do not result in classification

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol	CAS-No.: 27813-02-1	4 - < 8	Flammable liquids Not classified Acute toxicity (oral) Not classified Serious eye damage/eye irritation, Category 2A, H319 Skin sensitisation, Category 1, H317
2-Propenoic acid, 2-methyl-, 1,4-butanediyl ester	CAS-No.: 2082-81-7	2,5 – 5	Acute toxicity (oral) Not classified Skin sensitisation, category 1B, H317
dibenzoyl peroxide	CAS-No.: 94-36-0	0.5 - < 1.5	Organic Peroxides, Type B, H241 Serious eye damage/eye irritation, Category 2, H319 Skin sensitisation, Category 1, H317 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 (M=10) Hazardous to the aquatic environment – Chronic Hazard, Category 1, H410 (M=10)
dicyclohexyl phthalate	CAS-No.: 84-61-7	1 – 2,5	Not classified
1,1'-(p-tolylimino)dipropan-2-ol	CAS-No.: 38668-48-3	< 0.5	Acute toxicity (oral), Category 2, H300 Serious eye damage/eye irritation, Category 2A, H319 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412

Full text of H-statements: see section 16

26/09/2022 EN (English) 2/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 4: First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general Take off immediately all contaminated clothing. Never give anything by mouth to an

unconscious person. If you feel unwell, seek medical advice (show the label where

possible).

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Allow affected person to

breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Wash contaminated clothing before reuse. Wash with plenty of water/.... If skin irritation or

rash occurs: Get medical advice/attention.

First-aid measures after eye contact Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do.

Continue rinsing. Obtain medical attention if pain, blinking or redness persists.

First-aid measures after ingestion Rinse mouth. Get medical advice/attention. Do not induce vomiting. Obtain emergency

medical attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after skin contact May cause an allergic skin reaction.

Symptoms/effects after eye contact May cause severe irritation.

Potential adverse human health effects and No additional information available.

symptoms

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Suitable extinguishing media Water spray, Carbon dioxide, Dry powder, Foam, Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire Thermal decomposition generates: Carbon dioxide. Carbon monoxide.

5.3. Special protective actions for fire-fighters

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Do not enter fire area without proper protective

equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures Spilled material may present a slipping hazard.

6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Use personal protective equipment as required. Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

For containment Collect spillage.

Methods for cleaning up

This material and its container must be disposed of in a safe way, and as per local

legislation. Mechanically recover the product. Store away from other materials.

26/09/2022 EN (English) 3/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Other information

Hygiene measures

Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and

other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep cool. Protect from sunlight. Expiry date: See date printed on box and capsule. Do not

use if expiry date has been exceeded!.

Incompatible productsStrong bases. Strong acids.Incompatible materialsSources of ignition. Direct sunlight.Heat and ignition sourcesKeep away from heat and direct sunlight.

Storage temperature -20 – 25 °C

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Ensure adequate ventilation.

Environmental exposure controls Avoid release to the environment.

Consumer exposure controls Avoid contact during pregnancy/while nursing. Other information Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Wear protective gloves. The permeation time is not the maximum wearing time! Generally

speaking, it must be reduced. Contact with either mixtures of substances or different

substances may shorten the protective function's effective duration.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

Eye protection Wear security glasses which protect from splashes

Туре	Field of application	Characteristics	Standard
Safety glasses	Droplet	clear	EN 166, EN 170

Personal protective equipment symbol(s)







8.4. Exposure limit values for the other components

No additional information available

26/09/2022 EN (English) 4/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state Solid

Appearance Pasty. foil capsule
Colour resin: yellowish liquid
hardener: white powder.

Odour characteristic. Odour threshold Not available Not available Melting point Freezing point Not available Boiling point Not available Flammability Not available Lower explosion limit Not applicable Upper explosion limit Not applicable

Flash point > 101 °C (DIN EN ISO 1523)

Not applicable Auto-ignition temperature Not available Decomposition temperature SADT 55 °C (Peroxide) рΗ Not available pH solution Not available Viscosity, kinematic (calculated value) (40 °C) 20 mm²/s (ISO 2431) Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure 0,1 hPa

Vapour pressure

Vapour pressure at 50 °C

Density

Relative density

Relative vapour density at 20 °C

Solubility

Particle size

Not available

Not available

Not available

Not applicable

insoluble in water.

Not available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No additional information available.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide. Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) Not classified

26/09/2022 EN (English)

5/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
dicyclohexyl phthalate (84-61-7)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
2-Propenoic acid, 2-methyl-, monoester v	with 1,2-propanediol (27813-02-1)
LD50 oral rat	> 5000 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; >=2000 mg/kg bodyweight; Rat; Experimental value)
LD50 dermal rabbit	≥ 5000 mg/kg bodyweight (Rabbit; Experimental value)
2-Propenoic acid, 2-methyl-, 1,4-butaned	iyl ester (2082-81-7)
LD50 oral rat	10066 mg/kg
LD50 dermal rat	> 3000 mg/kg
1,1'-(p-tolylimino)dipropan-2-ol (38668-48	3-3)
LD50 oral rat	25 mg/kg
LD50 dermal rat	> 2000 mg/kg
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	May cause an allergic skin reaction.
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	May damage the unborn child.
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
HVU2 M8 - M30	
Viscosity, kinematic	20 mm²/s (ISO 2431)
Potential adverse human health effects and	No additional information available.
symptoms	

ErC50 algae

Toxic to aquatic life.
Calculation method
Toxic to aquatic life with long lasting effects.
Calculation method
0,0602 mg/l (96h; Oncorhynchus mykiss; ECHA)
0,11 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

26/09/2022 EN (English) 6/11

0,0711 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

dibenzoyl peroxide (94-36-0)	
NOEC (acute)	0,0316 mg/l (96h; Oncorhynchus mykiss; ECHA)
NOEC chronic fish	0,001 mg/l
dicyclohexyl phthalate (84-61-7)	
LC50 - Fish [1]	> 2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Salt water, Experimental value, GLP)
ErC50 algae	> 2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Salt water, Experimental value, GLP)
2-Propenoic acid, 2-methyl-, monoester with	1,2-propanediol (27813-02-1)
LC50 - Fish [1]	493 mg/l (48 h; Leuciscus idus; GLP)
EC50 - Crustacea [1]	> 143 mg/l (48 h; Daphnia magna; GLP)
ErC50 algae	97,2 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Threshold limit - Algae [1]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
Threshold limit - Algae [2]	> 97,2 mg/l (72 h; Pseudokirchneriella subcapitata; GLP)
2-Propenoic acid, 2-methyl-, 1,4-butanediyl e	ster (2082-81-7)
LC50 - Other aquatic organisms [1]	9,79 mg/l
NOEC (acute)	7,51 mg/l
NOEC (chronic)	20 mg/l
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)	
LC50 - Fish [1]	≈ 17 mg/l
LC50 - Other aquatic organisms [1]	245 mg/l
EC50 - Crustacea [1]	28,8 mg/l
NOEC (acute)	57,8 mg/l
2.2. Persistence and degradability	
HVU2 M8 - M30	
Persistence and degradability	No additional information available
dibenzoyl peroxide (94-36-0)	
Persistence and degradability	Readily biodegradable in water. Not established. May cause long-term adverse effects in the environment.
dicyclohexyl phthalate (84-61-7)	
Persistence and degradability	Readily biodegradable in water.
ThOD	2,376 g O ₂ /g substance
2-Propenoic acid, 2-methyl-, monoester with	1,2-propanediol (27813-02-1)
Not rapidly degradable	
Persistence and degradability	Readily biodegradable in water.
2-Propenoic acid, 2-methyl-, 1,4-butanediyl e	ster (2082-81-7)
Not rapidly degradable	

26/09/2022 EN (English) 7/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

12.3. Bioaccumulative potential				
HVU2 M8 - M30				
Bioaccumulative potential	No additional information available			
dibenzoyl peroxide (94-36-0)				
Partition coefficient n-octanol/water (Log Kow)	3,71			
Bioaccumulative potential	Low bioaccumulation potential (Log Kow < 4).			
dicyclohexyl phthalate (84-61-7)				
BCF - Other aquatic organisms [1]	90,9 (BCFBAF v3.00, Calculated value)			
Partition coefficient n-octanol/water (Log Kow)	4,82 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)			
Bioaccumulative potential	Potential for bioaccumulation (4 ≤ Log Kow ≤ 5).			
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)				
BCF - Fish [1]	≤ 100			
BCF - Fish [2]	3,2 Quantitative structure-activity relationship (QSAR)			
Partition coefficient n-octanol/water (Log Kow)	0,97 (OECD 102 method)			
Bioaccumulative potential	Low bioaccumulation potential (BCF < 500).			
2-Propenoic acid, 2-methyl-, 1,4-butanediyl es	ster (2082-81-7)			
Partition coefficient n-octanol/water (Log Kow)	3,1			
1,1'-(p-tolylimino)dipropan-2-ol (38668-48-3)				
Partition coefficient n-octanol/water (Log Pow)	2,1			
12.4. Mobility in soil				

HVU2 M8 - M30			
Mobility in soil	No additional information available		
dibenzoyl peroxide (94-36-0)			
Surface tension	No data available (test not performed)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3,8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)		
Ecology - soil	Low potential for mobility in soil.		
dicyclohexyl phthalate (84-61-7)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3,46 – 4,12 (log Koc, Other, QSAR)		
Ecology - soil	Low potential for mobility in soil.		
2-Propenoic acid, 2-methyl-, monoester with 1,2-propanediol (27813-02-1)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	1,9 (log Koc, Calculated value)		
Ecology - soil	Highly mobile in soil.		

12.5. Other adverse effects

Ozone Not classified

Other adverse effects No additional information available

26/09/2022 EN (English) 8/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 13: Disposal considerations

13.1. Disposal methods

Regional legislation (waste)

Disposal must be done according to official regulations.

Product/Packaging disposal recommendations

After curing, the product can be disposed of with household waste. Full or only partially emptied cartridges must be disposed of as special waste in accordance with official regulations. Packaging contaminated by the product: Dispose in a safe manner in

accordance with local/national regulations.

Ecology - waste materials

Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID

In accordance with ADR / IMDG / IATA / RID					
ADR	IMDG	IATA	RID		
Special provision(s) applied: 375 Special provision(s) applied: 969 Special provision(s) applied: A197 Special provision(s) applied: 375					
These substances when carried in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass per single or inner packaging of 5 kg or less for solids, are not subject to any other provisions of ADR provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.					
14.1. UN number or ID number					
UN 3077	UN 3077	UN 3077	UN 3077		
440 100					

14.2. UN	proper	shipping	name
----------	--------	----------	------

ENVIRONMENTALLY
HAZARDOUS SUBSTANCE,
SOLID, N.O.S. (dibenzoyl
peroxide)

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide) Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide)


ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide)


Transport document description

UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III, (-) UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III UN 3077 Environmentally hazardous substance, solid, n.o.s. (dibenzoyl peroxide), 9, III


UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (dibenzoyl peroxide), 9, III


14.3. Transport hazard class(es)





9





14.4. Packing group

III	III	Ш	III
-----	-----	---	-----

14.5. Environmental hazards

The Entries and the Entries			
Dangerous for the environment:			
Yes	Yes	Yes	Yes
	Marine pollutant: Yes		

Environmentally hazardous substances derogation applies (quantity of liquids \leq 5 litres or net mass of solids \leq 5 kg). The environmentally hazardous substance mark is therefore not required, as stated in the ADR regulation, section 5.2.1.8.1.

not restricted according ADR Special Provision SP375, IATA-DGR Special Provision A197 and IMDG-Code 2.10.2.7

26/09/2022 EN (English) 9/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

14.6. Special precautions for user

Overland transport

Classification code (ADR) M7

Special provisions (ADR) 274, 335, 375, 601

Limited quantities (ADR) 5kg

Packing instructions (ADR) P002, IBC08, LP02, R001

90

Mixed packing provisions (ADR) MP10

Transport category (ADR)
Orange plates

3077

Transport by sea

Tunnel restriction code (ADR)

Special provisions (IMDG) 274, 335, 966, 967, 969

Limited quantities (IMDG)5 kgPacking instructions (IMDG)LP02, P002EmS-No. (Fire)F-AEmS-No. (Spillage)S-F

Stowage category (IMDG) A
Stowage and handling (IMDG) SW23

Air transport

PCA packing instructions (IATA) 956
PCA max net quantity (IATA) 400kg
CAO packing instructions (IATA) 956

Special provisions (IATA) A97, A158, A179, A197, A215

Rail transport

Special provisions (RID) 274, 335, 375, 601

Limited quantities (RID) 5kg

Packing instructions (RID) P002, IBC08, LP02, R001

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other information

 Issue date
 26/09/2022

 Revision date
 26/09/2022

 Supersedes
 10/01/2022

Section	Changed item	Change	Comments
	Legislation	Modified	

Abbreviations and acronyms

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

26/09/2022 EN (English) 10/11



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

ADR - European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE - Acute Toxicity Estimate

BCF - Bioconcentration factor

CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008

DMEL - Derived Minimal Effect level

DNEL - Derived-No Effect Level

EC50 - Median effective concentration

IARC - International Agency for Research on Cancer

IATA - International Air Transport Association

IMDG - International Maritime Dangerous Goods

LC50 - Median lethal concentration

LD50 - Median lethal dose

LOAEL - Lowest Observed Adverse Effect Level

NOAEC - No-Observed Adverse Effect Concentration

NOAEL - No-Observed Adverse Effect Level

NOEC - No-Observed Effect Concentration

OECD - Organisation for Economic Co-operation and Development

PBT - Persistent Bioaccumulative Toxic

PNEC - Predicted No-Effect Concentration

REACH - Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

(EC) No 1907/2006

RID - Regulations concerning the International Carriage of Dangerous Goods by Rail

SDS - Safety Data Sheet

vPvB - Very Persistent and Very Bioaccumulative

None.

Other information

Full text of H-statements:		
H241	Heating may cause a fire or explosion	
H300	Fatal if swallowed	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H360	May damage fertility or the unborn child	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

SDS UN Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

26/09/2022 EN (English) 11/11