

CP 679A Plus Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021) Issue date: 21/03/2024 Revision date: 21/03/2024

Supersedes: 01/03/2023

Version: 2.0

SECTION 1: Identification			
1.1. GHS Product identifier			
Product form	Mixture		
Product name	CP 679A Plus		
Product code	BU Fire Protection	1	
1.2. Other means of identification			
No additional information available			
1.3. Recommended use of the chemical and	restrictions on us	se	
Use of the substance/mixture	Firestop coating		
1.4. Supplier's details			
Supplier Hilti (South Africa) (Pty) Ltd. 2 Tugela Lane, Waterfall Logistics Precinct Corner Br R101 ZA– 2090 Midrand South Africa T +2711 237300 - F +2711 2373111 Customercare.za@hilti.com	idal Veil Road and	Department issuing data specificat Hilti AG Feldkircherstraße 100 FL– 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-fire.protection@h	
1.5. Emergency phone number			
Emergency number		FACT (24-Hour-Number): al Regulatory Compliance 3	
	+2711 237300		
SECTION 2: Hazard identification			
2.1. Classification of the substance or mixtu	re		
Classification according to the United Nations GH	S		
Hazardous to the aquatic environment – Acute Hazard Hazardous to the aquatic environment – Chronic Hazar Full text of H-statements: see section 16		402 412	Calculation method Calculation method
2.2. GHS Label elements, including precaution	onary statements		
Labelling according to the United Nations GHS			
Signal word (GHS UN)	-		
Hazard statements (GHS UN) Precautionary statements (GHS UN)		aquatic life with long lasting effects ase to the environment.	
2.3. Other hazards which do not result in cla	ssification		
No additional information available			

SECTION 3: Composition/information on ingredients

3.1. Substances



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

3.2. Mixtures			
Name	Product identifier	%	Classification according to the United Nations GHS
Titanium dioxide	CAS-No.: 13463-67-7	2,5 – 10	Acute toxicity (oral), Category 5, H303 Acute toxicity (inhalation:dust,mist) Not classified Carcinogenicity, Category 2, H351 Hazardous to the aquatic environment – Acute Hazard, Category 3, H402 Hazardous to the aquatic environment – Chronic Hazard, Category 3, H412
Caramic acid, butyl-, 3-iodo-2propynyl ester	CAS-No.: 55406-53-6	< 0,1	Acute toxicity (oral), Category 4, H302 Acute toxicity (inhal.), Category 3, H331 Acute toxicity (inhalation:dust,mist) Category 3, H331 Serious eye damage/eye irritation, Category 1, H318 Skin sensitisation, Category 1, H317 Specific target organ toxicity – Repeated exposure, Category 1, H372 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 (M=10) Hazardous to the aquatic environment – Chronic Hazard, Category 1, H410 (M=10)
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one	CAS-No.: 55965-84-9	< 0,1	Acute toxicity (oral), Category 3, H301 Acute toxicity (dermal), Category 2, H310 Acute toxicity (inhal.), Category 2, H330 Skin corrosion/irritation, Category 2, H314 Serious eye damage/eye irritation, Category 1, H318 Skin sensitisation, category 1A, H317 Hazardous to the aquatic environment – Acute Hazard, Category 1, H400 (M=100) Hazardous to the aquatic environment – Chronic Hazard, Category 1, H410 (M=100)

Full text of H-statements: see section 16



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 4: First-aid measures	
4.1. Description of necessary first-aid me	easures
First-aid measures general	Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms/effects, ad	cute and delayed
Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after skin contact	May cause an allergic skin reaction.
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.

No additional information available

SECTION 5: Fire-fighting measures	
5.1. Suitable extinguishing media	
Suitable extinguishing media	Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	Do not use a heavy water stream.
5.2. Specific hazards arising from the chemic	cal
Explosion hazard	No direct explosion hazard.
Hazardous decomposition products in case of fire	Formation of toxic gases is possible during heating or in case of fire.
5.3. Special protective actions for fire-fighter	S
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protect	tive equipment and emergency procedures		
General measures	Avoid contact with skin and eyes.		
6.1.1. For non-emergency personnel			
Emergency procedures	Evacuate unnecessary personnel.		
6.1.2. For emergency responders			
Protective equipment	Equip cleanup crew with proper protection.		
Emergency procedures	Ventilate area.		
6.2. Environmental precautions	6.2. Environmental precautions		
A sold wells are to the second second Design	and another second much lie contains. Next, another side of lie wild extern a second second lie contains		

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up

Methods for cleaning up

Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage.



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures	Do not eat, drink or smoke when using this product.
Handling temperature	5 – 30 °C
7.2. Conditions for safe storage, including a	ny incompatibilities
Storage conditions	Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible materials	Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls Other information

Ensure good ventilation of the work station. Do not eat, drink or smoke during use.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Personal protective equipment:

Avoid all unnecessary exposure. Gloves.

Hand protection

Wear protective gloves.

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves, Protective gloves, Reusable gloves	Nitrile rubber (NBR), Butyl rubber	6 (> 480 minutes)	>4		
Eye protection		Chemical goggles or sat	fety glasses		

Skin and body protection

Respiratory protection

gogg ιγυ

Protective clothing

Avoid inhalation of vapour and spray mist. In case of inadequate ventilation wear respiratory protection. (FFP2)

Personal protective equipment symbol(s)



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	Liquid
Appearance	Pasty
Colour	white.
Odour	slight. odourless.



CP 679A Plus Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	≈ 100 °C
Flammability	Non flammable.
Lower explosion limit	Not available
Upper explosion limit	Not available
Flash point	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
рН	7 – 7,8
pH solution concentration	10 %
Viscosity, kinematic (calculated value) (40 °C)	Not available
Partition coefficient n-octanol/water (Log Kow)	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	Not available
Density	1,34 – 1,48 g/cm
Relative density	Not available
Relative vapour density at 20°C	Not available
Solubility	Not available
Viscosity, dynamic	25000 – 40000 n
Particle size	Not applicable

% available available available available 4 – 1,48 g/cm³ available available available 00 – 40000 mPa·s applicable

9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties Oxidising properties VOC content

Product is not explosive Not applicable <1%

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicological	effects	
Acute toxicity (oral)	Not classified	
Acute toxicity (dermal)	Not classified	
Acute toxicity (inhalation)	Not classified	
Titanium dioxide (13463-67-7)		
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s))	
24/04/2024	EN (English)	5/10



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Titanium dioxide (13463-67-7)		
LD50 oral	5000 mg/kg	
LC50 Inhalation - Rat	> 5,09 mg/l (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male, Experimental value, Inhalation (dust), 14 day(s))	
Mixture of 5-chloro-2-methylisothiazol-3(2	H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	
LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))	
LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat	0,17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))	
Caramic acid, butyl-, 3-iodo-2propynyl est	er (55406-53-6)	
LD50 oral rat	300 – 500 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Male / female, Experimental value, Oral)	
LD50 dermal rat	> 2000 mg/kg (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)	
LC50 Inhalation - Rat	0,67 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation (dust))	
Skin corrosion/irritation	Not classified	
	рН: 7 – 7,8	
Serious eye damage/irritation	Not classified	
	pH: 7 – 7,8	
Respiratory or skin sensitisation	Not classified	
Germ cell mutagenicity	Not classified	
Carcinogenicity	Not classified	
Reproductive toxicity	Not classified	
STOT-single exposure	Not classified	
STOT-repeated exposure	Not classified	
Caramic acid, butyl-, 3-iodo-2propynyl ester (55406-53-6)		
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Not classified	
Potential adverse human health effects and symptoms	Based on available data, the classification criteria are not met.	

SECTION 12: Ecological information

12.1. Toxicity

Titanium diaxida (12462-67-7)	
environment, long-term (chronic))	
Classification procedure (Hazardous to the aquatic	Calculation method
(chronic)	
Hazardous to the aquatic environment, long-term	Harmful to aquatic life with long lasting effects.
environment, short-term (acute))	
Classification procedure (Hazardous to the aquatic	Calculation method
(acute)	
Hazardous to the aquatic environment, short-term	Harmful to aquatic life.

Titanium dioxide (13463-67-7)		
LC50 - Fish [1]	> 1000 mg/l (Pisces, Fresh water)	
LC50 - Other aquatic organisms [1]	> 10000 mg/l	
EC50 - Crustacea [1]	> 1000 mg/l (Invertebrata, Fresh water)	



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Titanium dioxide (13463-67-7)	
EC50 - Crustacea [2]	> 10000 mg/l
EC50 72h - Algae [1]	> 100 mg/l (OECD 201: Alga, Growth Inhibition Test, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Growth rate)
ErC50 algae	61 mg/l (EPA 600/9-78-018, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration)
Mixture of 5-chloro-2-methylisothiazol-3(2H)-o	one and 2-methylisothiazol-3(2H)-one (55965-84-9)
LC50 - Fish [1]	0,19 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0,007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
ErC50 algae	19,9 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)
Caramic acid, butyl-, 3-iodo-2propynyl ester (55406-53-6)
LC50 - Fish [1]	0,2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Experimental value)
LC50 - Fish [2]	85 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Salt water, Experimental value, Reaction product)
EC50 - Crustacea [1]	0,16 mg/l (EPA OPP 72-2, 48 h, Daphnia magna, Flow-through system, Experimental value)
EC50 - Crustacea [2]	60 mg/l (EPA OPP 72-2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Reaction product)
ErC50 algae	> 41,3 mg/l (EPA OTS 797.1050, 96 h, Selenastrum capricornutum, Static system, Fresh water, Experimental value, Reaction product)
2.2. Persistence and degradability	
CP 679A Plus	
Persistence and degradability	Not established.
Titanium dioxide (13463-67-7)	
Not rapidly degradable	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)
Mixture of 5-chloro-2-methylisothiazol-3(2H)-o	one and 2-methylisothiazol-3(2H)-one (55965-84-9)
Not rapidly degradable	
Persistence and degradability	Not readily biodegradable in water.
Caramic acid, butyl-, 3-iodo-2propynyl ester (55406-53-6)
Persistence and degradability	Readily biodegradable in the soil. Readily biodegradable in water.

12.3. Bioaccumulative potential

Chemical oxygen demand (COD)

CP 679A Plus		
Bioaccumulative potential Not established.		
Titanium dioxide (13463-67-7)		
Bioaccumulative potential	Not bioaccumulative.	

1,15 g O₂/g substance



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Mixture of 5-chloro-2-methylisothiazol-3(2H)	-one and 2-methylisothiazol-3(2H)-one (55965-84-9)
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Kow)	-0,32 – 0,7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
Caramic acid, butyl-, 3-iodo-2propynyl ester	(55406-53-6)
BCF - Fish [1]	3,3 – 4,5 (Cyprinus carpio, Literature study)
Partition coefficient n-octanol/water (Log Kow)	2,81 (Literature, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
12.4. Mobility in soil	
CP 679A Plus	
Mobility in soil	No additional information available
Titanium dioxide (13463-67-7)	
Surface tension	No data available in the literature
Ecology - soil	Low potential for mobility in soil.
Mixture of 5-chloro-2-methylisothiazol-3(2H)	-one and 2-methylisothiazol-3(2H)-one (55965-84-9)
Surface tension	No data available in the literature
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0,81 – 1 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.
Caramic acid, butyl-, 3-iodo-2propynyl ester	(55406-53-6)
Surface tension	69,1 mN/m (158 mg/l, EU Method A.5: Surface tension)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2,1 (log Koc, Experimental value)
Ecology - soil	Low potential for adsorption in soil.
12.5. Other adverse effects	
Ozone	Not classified
Other adverse effects	No additional information available
Other information	Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations Ecology - waste materials Dispose in a safe manner in accordance with local/national regulations. Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / RID /

ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

ADR	IMDG	IATA	RID	
14.2. UN proper shipping name	14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable	
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	
No supplementary information available				

14.6. Special precautions for user

Overland transport Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations specific for the product in question

No additional information available

SECTION 16: Other inform	nation	
Issue date	2024/03/21	
Revision date	2024/03/21	
Supersedes	2023/03/01	
Other information	None.	
Full text of H-statements:		

Full text of H-statements:	
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Inhalation)	Acute toxicity (inhal.), Category 3
Acute Tox. 3 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 3
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4



Safety Data Sheet

according to the United Nations GHS (Rev. 9, 2021)

Full text of H-statements:		
Acute Tox. 5 (Oral)	Acute toxicity (oral), Category 5	
Acute Tox. Not classified (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Not classified	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Carc. 2	Carcinogenicity, Category 2	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Skin Corr. 1C	Skin corrosion/irritation, Category 1C	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
H301	Toxic if swallowed	
H302	Harmful if swallowed	
H303	May be harmful if swallowed	
H310	Fatal in contact with skin	
H314	Causes severe skin burns and eye damage	
H317	May cause an allergic skin reaction	
H318	Causes serious eye damage	
H330	Fatal if inhaled	
H331	Toxic if inhaled	
H351	Suspected of causing cancer	
H372	Causes damage to organs through prolonged or repeated exposure	
H400	Very toxic to aquatic life	
H402	Harmful to aquatic life	
H410	Very toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

SDS_UN_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.