

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basisIssue date: 22/10/2024Revision date: 22/10/2024Supersedes: 15/07/2022Version: 1.1

SECTION 1: Identification			
1.1. GHS Product identifier			
Product form	Article		
Product name	Hilti B 3600		
UN-No. (ADR)	3480		
Product code	BU ET&A		
1.2. Other means of identification			
Other means of identification	Hilti B 3600 (01); Battery Power Supply		
1.3. Recommended use of the chemical and r	restrictions on use		
Use of the substance/mixture	Electrical batteries and accumulators		
Recommended uses and restrictions	For professional use only		
1.4. Supplier's details			
Supplier Hilti (South Africa) (Pty) Ltd. 2 Tugela Lane, Waterfall Logistics Precinct Corner Bridal Veil Road and R101 ZA 2090 Midrand South Africa T +2711 237300, F +2711 2373111 Customercare.za@hilti.com	Department issuing data specification sheet Hilti AG Feldkircherstraße 100 FL 9494 Schaan Liechtenstein T +423 234 2111 product.compliance-power.tools@hilti.com		
1.5. Emergency phone number			
Emergency number	Emergency CONTACT (24-Hour-Number): GBK GmbH Global Regulatory Compliance +49 (0)6132-84463 +2711 237300		
SECTION 2: Hazard identification 2.1. Classification of the substance or mixture			

### **Classification according to the United Nations GHS**

Not classified

## 2.2. GHS Label elements, including precautionary statements

## Labelling according to the United Nations GHS

No labelling applicable



A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

#### 2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification	For the battery chemical materials are stored in a hermetically sealed metal case, designed to withstand Temperatures and pressures encountered during normal use. As a result, during normal use there is no physical danger of ignition or explosion and chemical danger of hazardous materials leakage.
	It may cause heat generation or electrolyte leakage if battery terminals contact with other metals. Electrolyte is flammable. In case of electrolyte leakage move the battery from fire immediately. However if exposed to a fire, added mechanical shocks, decomposed, added electric stress by miss-use, the gas release yent will be operated. The battery case will be breaked at the

by miss-use, the gas release vent will be operated. The battery case will be breaked at the extreme, hazardous materials may be released.

Moreover, if heated strongly by a surrounding fire, acrid gas may be emitted.

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments

Lithium Ion rechercheable battery pack: Name/Type Energy content (Wh) B 3600 (01) 24x86,4 This product contains a positive electrode (Lithium cobalt oxide (CAS-No. 12190-79-3)), a negative electrode (graphite (CAS-No. 7782-42-5)) and electrolyte (ethylene carbonate(CAS-No. 96-49-1), diethyl carbonate (CAS-No. 105-58-8) and lithium hexafluorophosphate (CAS-No. 21324-40-3)). The physical form of the product, however, precludes exposure to workers under normal conditions of use.

This mixture does not contain any substances to be mentioned according to the applicable regulations

## SECTION 4: First-aid measures

4.1. Description of necessary first-aid me	asures
First-aid measures general	If the electrolyte is leaking out of the battery pack, the following measures have to be taken.
First-aid measures after inhalation	Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists.
First-aid measures after ingestion	Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms/effects, ac	ute and delayed
Symptoms/effects	Not expected to present a significant hazard under anticipated conditions of normal use.
Potential adverse human health effects and symptoms	This product contains an organic electrolyte. If the electrolyte is leaking out of the battery pack, the following effects are known when getting into contact: Irritation: severely irritant to

eyes. Irritation: may cause irritation to the respiratory system.

#### 4.3. Indication of immediate medical attention and special treatment needed, if necessary

Treat symptomatically.



A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

SECTION 5: Fire-fighting measures			
5.1. Suitable extinguishing media			
Suitable extinguishing media	Cool batteries and accumulators with water jet. In case of fire in the surroundings: Use extinguishing agent suitable for surrounding fire.		
5.2. Specific hazards arising from the chemical			
Hazardous decomposition products in case of fire	Formation of toxic gases is possible during heating or in case of fire.		
5.3. Special protective actions for fire-fighte	rs		
Firefighting instructions	Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.		
Protection during firefighting	Do not enter fire area without proper protective equipment, including respiratory protection.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment	nent and emergency procedures		
General measures	No flames, no sparks. Eliminate all sources of ignition. Isolate from fire, if possible, without unnecessary risk.		

6.1.1. F	or non-emerg	jency	personnel
----------	--------------	-------	-----------

Protective equipment	Wear protective gloves, protective clothing. Safety goggles. Gas mask.
Emergency procedures	Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	Equip cleanup crew with proper protection.
Emergency procedures	Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and materials for containment and cleaning up			
Methods for cleaning up	Take up liquid spill into absorbent material.		
Other information	Dispose of materials or solid residues at an authorized site.		

SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	Do not soak in water or seawater. Do not expose to strong oxidizers. Do not give a strong mechanical shock or fling. Never disassemble, modify or deform. Do not connect the positive terminal to the negative terminal with electrically conductive material. Use only the chargers / electric tools specified by Hilti to charge or discharge the battery.	
Hygiene measures Additional hazards when processed	Do not throw into fire or expose to high temperatures (>85 °C). Do not connect the positive terminal to the negative terminal with electrically conductive material. Always wash hands after handling the product. Normal use of this product shall imply use in accordance with the instructions on the packaging and in line with the expectations of a professional user.	
7.2. Conditions for safe storage, including any incompatibilities		
Storage conditions	Avoid direct sunlight, high temperature, high humidity. Store in a cool place (temperature: -20 °C ~ 40 °C, humidity: 45 - 85%).	
Storage area	Store in a well-ventilated place.	



A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

Incompatible products	Strong bases. Strong acids.
Incompatible materials	Sources of ignition. Direct sunlight.
Information on mixed storage	Store away from water.
	Do not store together with electrically conductive materials.
	The accu-pack should be stored at 30 to 50% of the charging capacity. Avoid storing in places where it is exposed to static electricity.

-20 – 40 °C

Storage temperature

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### No additional information available

## 8.2. Appropriate engineering controls

Appropriate engineering controls Other information If the electrolyte is leaking out of the battery pack, the following measures have to be taken. Do not eat, drink or smoke during use.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

### Personal protective equipment:

Avoid all unnecessary exposure.

Hand protection

Wear protective gloves. Wear protective gloves.

Wear eye protection. Chemical goggles or safety glasses

Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	0,12		EN ISO 374

Eye protection

### Personal protective equipment symbol(s)



#### 8.4. Exposure limit values for the other components

No additional information available

## **SECTION 9: Physical and chemical properties**

## 9.1. Basic physical and chemical properties

Physical state Appearance	Solid plastic case
Colour	red. Black.
Odour	Odourless.
Odour threshold	Not available
Melting point	Not available
Freezing point	Not available
Boiling point	Not available
Flammability	Non flammable.
Lower explosion limit	Not applicable
Upper explosion limit	Not applicable
Flash point	Not applicable
Auto-ignition temperature	Not applicable
Decomposition temperature	Not available



A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

РН	Not available
pH solution	Not available
Viscosity, kinematic (calculated value) (40 °C)	Not applicable
Partition coefficient n-octanol/water (Log Kow)	Not available
	Not available
Vapour pressure	Not available
Vapour pressure at 50°C	
Density Balative density	Not available
Relative density	Not available
Relative vapour density at 20°C	Not applicable
Solubility	Not available
Particle size	Not available

### 9.2. Data relevant with regard to physical hazard classes (supplemental)

Explosive properties

Risk of explosion by shock, friction, fire or other sources of ignition

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No additional information available

## 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Heating may cause a fire or explosion.

### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Water, humidity.

#### 10.5. Incompatible materials

Conductive materials, water, seawater, strong oxidizers and strong acids.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

The information on toxicological effects	
Acute toxicity (oral)	Not classified
Acute toxicity (dermal)	Not classified
Acute toxicity (inhalation)	Not classified
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Not classified
Respiratory or skin sensitisation	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT-single exposure	Not classified
STOT-repeated exposure	Not classified
Aspiration hazard	Not classified
Potential adverse human health effects and	This product contains an organic electrolyte. If the electrolyte is leaking out of the battery
symptoms	pack, the following effects are known when getting into contact: Irritation: severely irritant to
	eyes. Irritation: may cause irritation to the respiratory system.
Other information	When used and handled according to specifications, the product does not have any harmful
	effects according to our experience and the information provided to us.



A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

SECTION 12: Ecological information			
SECTION 12: Ecological information			
12.1. Toxicity			
Hazardous to the aquatic environment, short-term (acute)	Not classified		
Hazardous to the aquatic environment, long-term (chronic)	Not classified		
12.2. Persistence and degradability			
Hilti B 3600			
Persistence and degradability	Not established.		
12.3. Bioaccumulative potential			
Hilti B 3600			
Bioaccumulative potential Not established.			
12.4. Mobility in soil			
Hilti B 3600			
Mobility in soil	No additional information available		
12.5. Other adverse effects			
Ozone	Not classified		
Other adverse effects	No additional information available		
Other information Do not allow battery packs to penetrate the soil.			
	The battery cell may corrode and electrolyte may leak.		

SECTION 13: Disposal considerations		
13.1. Disposal methods		
Product/Packaging disposal recommendations	Dispose in a safe manner in accordance with local/national regulations. Refer to manufacturer/supplier for information on recovery/recycling.	

Ecological information

nufacturer/supplier for information on recovery/recycling. Avoid release to the environment.

## **SECTION 14: Transport information**

n accordance with ADR / IMDG / IATA / RID /			
ADR	IMDG	ΙΑΤΑ	RID
14.1. UN number or ID number			
UN 3480	UN 3480	UN 3480	UN 3480
14.2. UN proper shipping name			
LITHIUM ION BATTERIES	LITHIUM ION BATTERIES	Lithium ion batteries	LITHIUM ION BATTERIES
Transport document description			
UN 3480 LITHIUM ION BATTERIES, 9, (E)	UN 3480 LITHIUM ION BATTERIES, 9	UN 3480 Lithium ion batteries, 9	UN 3480 LITHIUM ION BATTERIES, 9
14.3. Transport hazard class(es)			
9	9	9A	9



A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

ADR	IMDG	ΙΑΤΑ	RID
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Dangerous for the environment: No	Dangerous for the environment: No Marine pollutant: No	Dangerous for the environment: No	Dangerous for the environment: No
No supplementary information available			

## 14.6. Special precautions for user

Overland transport	
Classification code (ADR)	M4
Special provisions (ADR)	188, 230, 310, 348, 376, 377, 387, 636
Limited quantities (ADR)	0
Packing instructions (ADR)	P903, P908, P909, P910, P911, LP903, LP904, LP905, LP906
Transport category (ADR)	2
Tunnel restriction code (ADR)	E
Transport by sea	
Special provisions (IMDG)	188, 230, 310, 348, 376, 377, 384, 387
Limited quantities (IMDG)	0
Packing instructions (IMDG)	P903, P908, P909 , P910, P911, LP903, LP904, LP905, LP906
EmS-No. (Fire)	F-A
EmS-No. (Spillage)	S-I
Stowage category (IMDG)	A
Stowage and handling (IMDG)	SW19
MFAG-No	147
Air transport	
PCA packing instructions (IATA)	Forbidden
PCA max net quantity (IATA)	Forbidden
CAO packing instructions (IATA)	See 965
Special provisions (IATA)	A88, A99, A154, A164, A183
Rail transport	
Special provisions (RID)	188, 230, 310, 348, _376, 377, 387, 636
Limited quantities (RID)	0
Packing instructions (RID)	P903, 908, 909, P910, P911, LP903, LP904, LP905, LP906
14.7. Maritime transport in bulk according to	IMO instruments

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations specific for the product in question

No additional information available



A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis

## **SECTION 16: Other information**

A safety data sheet is not required for this product. This Product Safety Information Sheet has been created on a voluntary basis<ReplaceEmptyCellBy\_NO\_RELEVANT\_DATA>

Issue date	2024/10/22
Revision date	2024/10/22
Supersedes	2022/07/15

Section	Changed item	Change	Comments
1.2	Other means of identification	Modified	
1.3	Department issuing data specification sheet	Modified	
1.4	Emergency number	Modified	

SDS\_UN\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.